

# BEARING,BALL, SKF # 7306 BG

SI	Items Description	Unit	Qty
1	<p><b>BEARING,BALL,RADIAL, SKF# 6208ZZC3</b></p> <p>BEARING BALL, RADIAL, SINGLE ROW, CONRAD TYPE, LIGHT (200) SERIES, WITH TWO SHIELDS, AND RADIAL CLEARANCE GREATER THAN NORMAL.</p> <p><b>DIMENSIONS: ID 40 X OD 80 X WIDTH 18MM</b></p>	Ea	20
2	<p><b>BEARING, BALL: MRC # 5312MFF</b></p> <p>DESCRIPTION: BEARING, BALL</p> <p>BEARING NO: 5312 MFF (MRC OR EQUAL)</p> <p>MATERIAL: STEEL</p> <p>ADDITIONAL INFORMATION: WEIGHT: 4 LBS (1.5 KG)</p>	Ea	1
3	<p><b>BEARING,BALL,RADIAL,SINGL ROW,SKF # 6217C3</b></p> <p>BEARING, BALL, RADIAL, SINGLE ROW, RIGID JOURNAL, CONRAD TYPE, LIGHT SERIES, W/RADIAL CLEARANCE GREATER THAN NORMAL, METRIC SIZES.</p> <p><b>DIMENSIONS: ID 85 X OD 150 X WIDTH 28MM</b></p>	Ea	2
4	<p><b>BEARING,BALL : SKF # 6222-ZZ</b></p> <p>BEARING, BALL, RADIAL, SINGLE ROW, RIGID JOURNAL,CONRAD TYPE, LIGHT SERIES, W/TWO SHIELDS,METRIC SIZES</p> <p><b>(METALLIC CAGE/ RETAINER'S ONLY.)</b></p> <p><b>DIMENSIONS: ID 110 X OD 200 X WIDTH 38MM</b></p>	Ea	4
5	<p><b>BEARING, BALL: SKF # 7307BECBM</b></p> <p>BEARING, BALL, SINGLE ROW, ANGULAR CONTACT, MEDIUM SERIES, METRIC SIZES</p> <p><b>(METALLIC CAGE/RETAINER'S ONLY).</b></p>	Ea	4

	(CUSTOM CODE 746000)		
	<b>DIMENSIONS: ID 35 X OD 80 X WIDTH 21MM</b>		
6	<p><b>BEARING, BALL: SKF # 3205</b></p> <p>BEARING, BALL, DOUBLE ROW, ANGULAR CONTACT, LIGHT SERIES, METRIC SIZES.</p> <p><b>(METALLIC CAGE/RETAINER'S ONLY).</b></p> <p><b>DIMENSIONS: ID 25 X OD 52 X WIDTH 20.2MM</b></p>	Ea	4
7	<p><b>BEARING, BALL, SKF # 7306 BG</b></p> <p>BEARING, BALL, SINGLE ROW, DUPLEX ANGULAR CONTACT, MATCHED PAIR, MEDIUM SERIES, WITH STEEL CAGE, METRIC SIZES.</p> <p><b>(NON-METALLIC CAGE NOT ACCEPTABLE)</b></p> <p><b>DIMENSIONS: ID 30 X OD 72 X WIDTH 38MM</b></p>	Pair	8
8	<p><b>BEARING, BALL SKF # 3207</b></p> <p>BEARING, BALL, ANGULAR CONTACT, DOUBLE ROW, LIGHT SERIES, WITH STEEL CAGE, METRIC SIZES.</p> <p><b>(NON-METALLIC CAGE NOT ACCEPTABLE)</b></p> <p><b>DIMENSIONS: ID 35 X OD 72 X WIDTH 26.99MM</b></p>	Ea	3
9	<p><b>BEARING, BALL SKF # 3210</b></p> <p>BEARING, BALL, ANGULAR CONTACT, DOUBLE ROW, LIGHT SERIES, WITH STEEL CAGE, METRIC SIZES.</p> <p><b>(NON-METALLIC CAGE NOT ACCEPTABLE)</b></p> <p><b>DIMENSIONS: ID 50 X OD 90 X WIDTH 30.16MM</b></p>	Ea	3

SI	Items Description	Unit	Qty
	<b>Approved Manufacturer: SKF, NSK &amp; FAG Only</b>		
1	<b>BEARING, ROLL SKF # 30204</b>	Ea	2

	<p>BEARING, ROLLER, TAPERED, INTERNATIONAL STANDARD, LIGHT SERIES, WITH STEEL CAGE, METRIC SIZES</p> <p><b>DIMENSIONS: ID 20 X OD 47 X WIDTH 14MM</b></p>		
2	<p><b>BEARING,BALL SKF # 3206</b></p> <p>BEARING, BALL, ANGULAR CONTACT, DOUBLE ROW, LIGHT SERIES, WITH STEEL CAGE, METRIC SIZES.</p> <p><b>(NON-METALLIC CAGE NOT ACCEPTABLE)</b></p> <p><b>DIMENSIONS: ID 30 X OD 62 X WIDTH 23.81MM</b></p>	Ea	2
3	<p><b>BEARING,BALL SKF # 3212</b></p> <p>BEARING, BALL, ANGULAR CONTACT, DOUBLE ROW, LIGHT SERIES, WITH STEEL CAGE, METRIC SIZES.</p> <p><b>(NON-METALLIC CAGE NOT ACCEPTABLE)</b></p> <p><b>DIMENSIONS: ID 60 X OD 110 X WIDTH 36.51MM</b></p>	Ea	2
4	<p><b>BEARING,BALL SKF# 3308-NR</b></p> <p>BEARING, BALL, ANGULAR CONTACT, DOUBLE ROW, DEEP GROOVE SOLID RACE, WITH SNAP RING, MEDIUM SERIES, STEEL CAGE, METRIC SIZES.</p> <p><b>(NON-METALLIC CAGE NOT ACCEPTABLE)</b></p> <p><b>DIMENSIONS: ID 40 X OD 90 X WIDTH 36.51MM</b></p>	Ea	5
5	<p><b>BEARING,BALL SKF # 6308-C3</b></p> <p>BEARING, BALL, RADIAL, SINGLE ROW, RIGID JOURNAL, CONRAD TYPE, MEDIUM SERIES, W/RADIAL, CLEARANCE GREATER THAN NORMAL, METRIC SIZES, WITH STEEL CAGE.</p> <p><b>(NON-METALLIC CAGE NOT ACCEPTABLE)</b></p>	Ea	4

	<b>DIMENSIONS: ID 40 X OD 90 X WIDTH 23MM</b>		
6	<p style="text-align: center;"><b>BEARING,BALL SKF # 7305 BG</b></p> <p style="text-align: center;">BEARING, BALL, SINGLE ROW, DUPLEX ANGULAR CONTACT, MATCHED</p> <p style="text-align: center;">PAIR, MEDIUM SERIES, WITH STEEL CAGE, METRIC SIZES.</p> <p style="text-align: center;"><b>(NON-METALLIC CAGE NOT ACCEPTABLE)</b></p> <p style="text-align: center;"><b>DIMENSIONS: ID 25 X OD 62 X WIDTH 34MM</b></p>	Pair	2
7	<p style="text-align: center;"><b>BEARING,BALL SKF # 6310-C3</b></p> <p style="text-align: center;">BEARING, BALL, RADIAL, SINGLE ROW, RIGID JOURNAL,</p> <p style="text-align: center;">CONRAD TYPE, MEDIUM SERIES, W/RADIAL,</p> <p style="text-align: center;">CLEARANCE GREATER THAN NORMAL, METRIC SIZES,</p> <p style="text-align: center;">WITH STEEL CAGE.</p> <p style="text-align: center;"><b>(NON-METALLIC CAGE NOT ACCEPTABLE)</b></p> <p style="text-align: center;"><b>DIMENSIONS: ID 50 X OD 110 X WIDTH 27MM</b></p>	Ea	7
8	<p style="text-align: center;"><b>BRNG,BALL, RADL, SINGL ROW, SKF # 6203</b></p> <p style="text-align: center;">BEARING, BALL, RADIAL, SINGLE ROW, CONRAD</p> <p style="text-align: center;">TYPE, LIGHT (200) SERIES METRIC SIZES</p> <p style="text-align: center;"><b><u>NOTES TO VENDOR:</u></b></p> <p style="text-align: center;">PROVIDE EQUIVALENT CATALOGUE SHEET, INDICATING ENQUIRED BEARING NUMBER AND OFFERED BEARING NUMBER, TO JUSTIFY EQUIVALENCE, IF ALTERNATIVE MANUF.OFFERED WITHOUT WHICH OFFER SHALL BE REJECTED.</p> <p style="text-align: center;"><b>DIMENSIONS: ID 17 X OD 40 X WIDTH 12MM</b></p>	Ea	2