

6308ZZ C3

Sub.: Request for Quotation (1019395)

SI	Items Description	Unit	Qty
	APPROVED MANUFACTURER ONLY: NSK & FAG		
1	<p>SEAL,OIL:130 IN,160 IN,15 IN</p> <p>SIZE : 130 X 160 X 15 INCH</p> <p>MFR : BASL</p> <p>DIAMETER, OD: 160 MM</p> <p>DIAMETER, SHAFT: 130 MM</p> <p>WIDTH: 15 MM</p>	Ea	2
2	<p>BEARING, BALL : S.K.F. 6203ZZ C3</p> <p>Description:</p> <p>BEARING, BALL, RADIAL, SINGLE ROW, RIGID JOURNAL, CONRAD TYPE, LIGHT SERIES, W/TWO SHIELDS, RADIAL CLEARANCE GREATER THAN NORMAL, WITH STEEL CAGE, METRIC SIZES.</p> <p>(NON-METALLIC CAGE NOT ACCEPTABLE)</p> <p>DIMENSIONS: ID 40 X OD 17 X WIDTH 12MM</p>	Ea	1
3	<p>BRNG,BAL : SKF-6207ZZ</p> <p>BEARING, BALL, RADIAL, SINGLE ROW, CONRAD TYPE, LIGHT (200) SERIES, WITH TWO SHIELDS, METRIC SIZES</p> <p>DIMENSIONS: ID 35 X OD 72 X WIDTH 17MM</p>	Ea	2

4	<p align="center">BEARING,BALL S.K.F. 3308-NR</p> <p align="center">BEARING, BALL, ANGULAR CONTACT, DOUBLE ROW, DEEP GROOVE</p> <p align="center">SOLID RACE, WITH SNAP RING, MEDIUM SERIES,</p> <p align="center">STEEL CAGE, METRIC SIZES.</p> <p align="center">(NON-METALLIC CAGE NOT ACCEPTABLE)</p> <p align="center">DIMENSIONS: ID 40 X OD 90 X WIDTH 30.51MM</p>	Ea	1
5	<p align="center">BEARING,BALL:DEEP GROOVE, SKF / FAG: 212S</p> <p align="center">SPARE PARTS FOR CONDENSATE PUMPS P-25/26-207A/B</p> <p align="center">CM02012AX-1/2 HHS-X P-25-207A/B</p> <p align="center">CM020A2BX-1/2 HHS-X P-26-207A/B</p> <p align="center">ITEM DESCRIPTION : RADIAL BALL BEARING</p> <p align="center">TYPE : DEEP GROOVE</p> <p align="center">MODEL : 212 S</p> <p align="center">DIMENSIONS: ID 60 X OD 110 X WIDTH 22MM</p>	Ea	1
6	<p align="center">BEARING, ANGULAR CONTACT, SKF / FAG: 7311B</p> <p align="center">BEARING, BALL, ANGULAR CONTACT, SINGLE ROW, MEDIUM</p> <p align="center">SERIES, WITH STEEL CAGE, METRIC SIZES.</p> <p align="center">(NON-METALLIC CAGE NOT ACCEPTABLE)</p> <p align="center">MANUFACTURERS: SKF OR FAG</p> <p align="center">DIMENSIONS: ID 55 X OD 120 X WIDTH 29MM</p>	Ea	4
7	<p align="center">BRNG,BALL,RADL,SINGL ROW, SKF-6203</p> <p align="center">BEARING, BALL, RADIAL, SINGLE ROW, CONRAD</p> <p align="center">TYPE, LIGHT (200) SERIES METRIC SIZES</p> <p align="center">NOTES TO VENDOR:</p>	Ea	1

	<p>PROVIDE EQUIVALENT CATALOGUE SHEET, INDICATING ENQUIRED BEARING NUMBER AND OFFERED BEARING NUMBER, TO JUSTIFY EQUIVALENC, IF ALTERNATIVE MANUF.OFFERED WITHOUT WHICH OFFER SHALL BE REJECTED.</p> <p>DIMENSIONS: ID 17 X OD 40 X WIDTH 12MM</p>		
8	<p>BRNG,BALL : SKF-6203-2Z</p> <p>Description:</p> <p>BEARING, BALL, RADIAL, SINGLE ROW, CONRAD TYPE, LIGHT (200) SERIES, WITH TWO SHIELDS, METRIC SIZES</p> <p>DIMENSIONS: ID 17 X OD 40 X WIDTH 12MM</p>	Ea	2
9	<p>BEARING BALL : SKF 6212ZZC3</p> <p>BEARING BALL, RADIAL, SINGLE ROW, CONRAD TYPE, LIGHT (200) SERIES, WITH TWO SHIELDS, AND RADIAL CLEARANCE GREATER THAN NORMAL.</p> <p>DIMENSIONS: ID 60 X OD 110 X WIDTH 22MM</p>	Ea	2
10	<p>BEARING, BALL : S.K.F. 608 - 2Z</p> <p>BEARING, BALL, RADIAL, SINGLE ROW, LIGHT SERIES, EXTRA SMALL, TWO SHIELDS, WITH STEEL CAGE, METRIC SIZES. (NON-METALLIC CAGE NOT ACCEPTABLE)</p> <p>DIMENSIONS: ID 8 X OD 22 X WIDTH 7MM</p>	Ea	1
11	<p>BEARING,BALL S.K.F. 6206-2RS</p> <p>BEARING, BALL, RADIAL, SINGLE ROW, RIGID JOURNAL, CONRAD TYPE, LIGHT SERIES, WITH TWO SEALS, WITH STEEL CAGE, METRIC SIZES. (NON-METALLIC CAGE NOT ACCEPTABLE)</p> <p>DIMENSIONS: ID 30 X OD 62 X WIDTH 16MM</p>	Ea	1
12	<p>BEARING,BALL S.K.F. 6309-Z/C3</p> <p>BEARING, BALL, RADIAL, SINGLE ROW, RIGID JOURNAL,</p>	Ea	1

	<p>CONRAD TYPE, MEDIUM SERIES, W/ONE SHIELD, RADIAL CLEARANCE GREATER THAN NORMAL, WITH STEEL CAGE, METRIC SIZES. (NON-METALLIC CAGE NOT ACCEPTABLE)</p> <p>DIMENSIONS: ID 45 X OD 100 X WIDTH 25MM</p>		
13	<p>BEARING, BALL 6308ZZ C3</p> <p>BEARING, BALL, RADIAL, SINGLE ROW, RIGID JOURNAL, CONRAD TYPE, MEDIUM SERIES, W/TWO SHIELDS, RADIAL CLEARANCE GREATER THAN NORMAL, METRIC SIZES, WITH STEEL CAGE. (NON-METALLIC CAGE NOT ACCEPTABLE)</p> <p>DIMENSIONS: ID 40 X OD 90 X WIDTH 23MM</p>	Ea	1