7313 BECBJ,7308ATDB,NU310ECJ,7213 BECB

SI	Items Description	Unit	Qty
	Accepted Manufacturer:		
	SKF & FAG only (no other manufacturer shall not be acceptable)		
1	BEARING BALLRADIAL, SKF # 6208ZZC3	Ea	2
	BEARING BALL, RADIAL, SINGLE ROW, CONRAD TYPE,		
	LIGHT (200) SERIES, WITH TWO SHIELDS,		
	AND DADIAL OLEADANCE ODEATED THAN NORMAL		
	AND RADIAL CLEARANCE GREATER THAN NORMAL.		
	DIMENSIONS: ID 40 X OD 80 X WIDTH 18MM		
2		Ea	2
2	BEARING BALL, SKF # 6315 ZZ	La	2
	BEARING, BALL, RADIAL, SINGLE ROW,		
	DEFICITO, DIVER, FIVEDINE, SINGLE NOVV,		
	CONRAD TYPE, MEDIUM (300) SERIES,		
	WITH SHIELD BOTH SIDES, METRIC SIZES.		
	DIMENSIONS: ID 75 X OD 160 X WIDTH 37MM		
	Material and Jan		
	Notes to vendor:		
	provide activates actalogue about indication apprired bearing acceptant and afformat		
	provide equivalent catalogue sheet indicating enquired bearing number and offered bearing number, to justify equivalence,		
	zoming ramper, to jacin, e jan meet,		
	if alternative manuf. offered, without which offer shall be rejected.		
3	BEARING, SKF # 6305ZZC3	Ea	2
	BEARING, BALL, RADIAL, SINGLE ROW, RIGID JOURNAL		
	CONRAD TYPE, MEDIUM (300) SERIES, W/TWO SHIELDS		
	METRIC SIZE.		
	DIMENSIONS: ID 25 X OD 62 X WIDTH 17MM		

4	BEARING BALL , SKF # 7313 BECBJ	Pair	2
	BEARING, BALL, ANGULAR CONTACT, SINGLE ROW,		
	DUPLEX UNITS, MATCHED PAIR,		
	MEDIUM (300) SERIES, METRIC SIZES.		
	DYNAMIC LOAD CARRYING CAPACITY - 108 KN		
_	DIMENSIONS: ID 65 X OD 140 X WIDTH 66MM	Dein	0
5	BEARING BALL , SKF # 7308ATDB	Pair	2
	BEARING, BALL, ANGULAR CONTACT, SINGLE ROW,		
	DUPLEX UNITS, MATCHED PAIR,		
	MEDIUM (300) SERIES, METRIC SIZES.		
	DIMENSIONS: ID 40 X OD 90 X WIDTH 46MM		
6	BEARING BALL, SKF # 5207H	Ea	2
	BEARING, BALL, DOUBLE ROW, ANGULAR CONTACT, LIGHT SERIES, METRIC SIZES.		
	(METALLIC CAGE/ RETAINER'S ONLY)		
	DIMENSIONS: ID 35 X OD 72 X WIDTH 27MM		
7	BEARING BALL, SKF # 7308BYG	Ea	3
	BEARING, BALL, SINGLE ROW, ANGULAR CONTACT, MEDIUM SERIES, METRIC SIZES		
	(METALLIC CAGE/ RETAINER'S ONLY)		
	DIMENSIONS: ID 40 X OD 90 X WIDTH 23MM		
8	BEARING BALL, SKF # 3205	Ea	3
	BEARING, BALL, DOUBLE ROW, ANGULAR CONTACT,LIGHT SERIES, METRIC SIZES.		
	(METALLIC CAGE/ RETAINER'S ONLY)		
	DIMENSIONS: ID 25 X OD 52 X WIDTH 20.20MM		
9	BEARING BALL, SKF # 5206H	Ea	3

BEARING, BALL, DOUBLE ROW, ANGULAR CONTACT, LIGHT SERIES, METRIC SIZES.

(METALLIC CAGE/ RETAINER'S ONLY)

DIMENSIONS: ID 30 X OD 62 X WIDTH 23.80MM

10	BEARING BALLRADIAL SKF # 6205-2RS1/C3	Ea	2
	BEARING, BALL, RADIAL, SINGLE ROW, CONRAD TYPE,		
	LIGHT (200) SERIES, WITH TWO SEALS,		
	RADIAL CLEARANCE GREATER THAN NORMAL,		
	METRIC SIZE.		
	DIMENSIONS: ID 25 X OD 52 X WIDTH 15MM (0.5906 inch)	_	
11	BEARING DOUBLE ROW MEDIUMANGLRCNT:SKF # 5305.	Ea	3
	BEARING, BALL, DOUBLE ROW, ANGULAR CONTACT,		
	MEDIUM (300) SERIES, METRIC SIZES.		
	DIMENSIONS: ID 25 X OD 62 X WIDTH 1 inch		
12	BEARING BALL SKF # 6203ZZ	Ea	4
	ITEM: BALL BEARING		
	POSITION NO: 206		
	DRAWING NO: N9110		

EQPT MODEL: 2SDGY-7.5-6857DSP

EQPT TYPE: RECIPROCATING

ADDITIONAL INFORMATION: DESIGNATION NO: 6203 ZZ

DIMENSIONS: N/A

13 BEARING ROLL SKF # NU310ECJ Ea 6

BEARING, ROLLER, CYLINDRICAL, RIGID RADIAL, SINGLE ROW,

SELF-CONTAINED OUTER RACE AND STRAIGHT INNER

RACE, WITH STEEL CAGE, MEDIUM SERIES. METRIC SIZES.

(NON-METALLIC CAGE NOT ACCEPTABLE)

DIMENSIONS: ID 50 X OD 110 X WIDTH 27MM

14 BEARING BALLC6317ZZC3 Ea 4

BEARING, BALL, RADIAL, SINGLE ROW, RIGID JOURNAL, CONRAD TYPE, MEDIUM SERIES, W/RADIAL

CLEARANCE GREATER THAN NORMAL, METRIC SIZES. WITH SHIELD BOTH SIDES

(METALLIC CAGE/ RETAINER'S ONLY)

(NON-METALLIC CAGE NOT ACCEPTABLE)

DIMENSIONS: ID 85 X OD 180 X WIDTH 41MM

Notes to vendor:

provide equivalent catalogue sheet indicating enquired bearing number and offered bearing number, to justify equivalence.

if alternative manuf. offered, without which offer shall be rejected.

15 BEARING BALL SINGLE ROW ANGULAR CONTACT SKF # 7213 BECB

Pair 4

Single row angular contact ball bearing 7213 BECB (to be supplied in pair).

Out side dia: 120 mm

Inside dia: 65 mm

Width: 23x2= 46 mm for pair

(Steel Cage Only)

DIMENSIONS: ID 65 X OD 120 X WIDTH 46MM

>>