

SB204 ,SB205,SB206

1 **Bearing SB 204** Ea 30

Description:

PLUMMER/PILLOW BLOCK BALL BEARING ,SB 204,
CYLIDRICAL BORE ,SPHERICAL OUTER AND SET SCREW FIXING

MATERIAL -- BEARING STEEL

OUT SIDE DIA -- 47 MM

BORE SIZE --- 20 MM

OUT SIDE RING WIDTH-- - 14 MM

INSIDE RING WIDTH --- 25 MM

CENTRE TO BEARING END -- 18MM

SET SCREW SIZE - M6x 1.0

MAKE: TO SUIT SPECIFICATION

2 **BEARING - SB 205** Ea 30

Description:

PLUMMER/PILLOW BLOCK BALL BEARING ,SB 205,
CYLIDRICAL BORE ,SPHERICAL OUTER AND SET SCREW FIXING

MATERIAL -- BEARING STEEL

OUT SIDE DIA -- 52 MM

BORE SIZE --- 25 MM

OUT SIDE RING WIDTH-- - 15 MM

INSIDE RING WIDTH --- 27 MM

CENTRE TO BEARING END -- 19.5 MM

SET SCREW SIZE - M6x 1.0

MAKE: TO SUIT SPECIFICATION

3

BEARING - SB 206

Ea 30

Description:

PLUMMER/PILLOW BLOCK BALL BEARING ,SB 206

CYLIDRICAL BORE ,SPHERICAL OUTER AND SET SCREW FIXING

MATERIAL -- BEARING STEEL

OUT SIDE DIA -- 62 MM

BORE SIZE --- 30 MM

OUT SIDE RING WIDTH-- - 16 MM

INSIDE RING WIDTH --- 30 MM

CENTRE TO BEARING END -- 22.0 MM

SET SCREW SIZE - M6x 1.0

MAKE: TO SUIT SPECIFICATION

4

BEARING - SB 207

Ea 20

Description:

PLUMMER/PILLOW BLOCK BALL BEARING ,SB 207

CYLIDRICAL BORE ,SPHERICAL OUTER AND SET SCREW FIXING

MATERIAL -- BEARING STEEL

OUT SIDE DIA -- 72 MM

BORE SIZE --- 35 MM

OUT SIDE RING WIDTH-- - 117 MM

INSIDE RING WIDTH --- 32 MM

CENTRE TO BEARING END -- 23.5 MM

SET SCREW SIZE - M8 x 1.0

MAKE: TO SUIT SPECIFICATION

5 **BEARING - UC 205-16** Ea 30

Description:

PLUMMER/PILLOW BLOCK BALL BEARING ,UC 205-116 ,
CYLIDRICAL BORE ,SPHERICAL OUTER AND SET SCREW FIXING

MATERIAL -- BEARING STEEL

OUT SIDE DIA -- 52 MM,/ 2.047 INCH

BORE SIZE --- 1 INCH

OUT SIDE RING WIDTH-- - 17 MM / 0.669 INCH

INSIDE RING WIDTH --- 34.1 MM/1.343 INCH

CENTRE TO BEARING END -- 19.8 MM /0.78 INCH

SET SCREW SIZE - 1/4-28 UNF

MAKE: TO SUIT SPECIFICATION

6 **BEARING - UC 207-23** Ea 20

Description:

PLUMMER/PILLOW BLOCK BALL BEARING ,UC 207-23 ,
CYLIDRICAL BORE ,SPHERICAL OUTER AND SET SCREW FIXING

MATERIAL -- BEARING STEEL

OUT SIDE DIA -- 72 MM

BORE SIZE --- 36.51 MM

OUT SIDE RING WIDTH-- - 20 MM

INSIDE RING WIDTH --- 42.9 MM

SET SCREW SIZE - 5/16-24 UNF

MAKE: TO SUIT SPECIFICATION

7

BEARING- UC 210

Ea 6

Description:

PLUMMER/PILLOW BLOCK BALL BEARING ,UC 210 ,
CYLIDRICAL BORE ,SPHERICAL OUTER AND SET SCREW FIXING

MATERIAL -- BEARING STEEL

OUT SIDE DIA -- 90.00 MM

BORE SIZE --- 50 MM

OUT SIDE RING WIDTH-- - 24 MM

INSIDE RING WIDTH --- 51.60 MM

CENTRE TO BEARING END -- 19.00 MM

SET SCREW SIZE - M6x 1.0

MAKE: TO SUIT SPECIFICATION

8

BEARING UC 205

Ea 30

Description:

PLUMMER/PILLOW BLOCK BALL BEARING ,UC 205,
CYLIDRICAL BORE ,SPHERICAL OUTER AND SET SCREW FIXING

MATERIAL -- BEARING STEEL

OUT SIDE DIA -- 52 MM

BORE SIZE --- 25 MM

OUT SIDE RING WIDTH-- - 17 MM

INSIDE RING WIDTH --- 34 MM

CENTRE TO BEARING END -- 19.7 MM

SET SCREW SIZE - M6x .75 MM

MAKE: TO SUIT SPECIFICATION

9

BEARING 6201 ZZ

Ea 30

Description:

DEEP GROVE BALL BEARING,

MATERIAL BEARING STEEL

SIZE 6201 ZZ

METAL SHEILDED TYPE

10	<p>ID : 12 MM</p> <p>OD : 32 MM</p> <p>WIDTH 10 MM</p> <p>MAKE: TO SUIT SPECIFICATION</p> <p>BEARING 6203- 5/8 ZZ</p>	Ea 20
	<p><i>Description:</i></p> <p>DEEP GROVE BALL BEARING,</p> <p>MATERIAL STEEL</p> <p>SIZE 6003 5/8 ZZ</p> <p>METAL SHEILDED TYPE</p> <p>ID : 15.875 MM</p> <p>OD : 40 MM</p> <p>WIDTH 12 MM</p>	
11	<p>MAKE: TO SUIT SPECIFICATION</p> <p>BEARING 6203 ZZ</p>	Ea 150
	<p><i>Description:</i></p> <p>DEEP GROVE BALL BEARING,</p> <p>MATERIAL STEEL</p> <p>SIZE 6203 ZZ</p> <p>METAL SHEILDED TYPE</p> <p>ID : 17 MM</p> <p>OD : 40 MM</p> <p>WIDTH 12 MM</p>	
12	<p>MAKE: TO SUIT SPECIFICATION</p> <p>BEARING R 6ZZ</p>	Ea 20

Description:

BALL BEARING , SPHERICAL OUT , WITH LOCK ,

CYLINDRICAL BORE GE 30KRRB

MATERIAL : BEARING STEEL

BORE DIA - 30 MM

OUT SIDE DIA - 62MM

INSIDE RING TOTAL WIDTH: 48.4 MM

OUTER RING WIDTH : 18 MM

MAKE: TO SUIT SPECIFICATION

13

BEARING GE 30 KRR B

Ea 6

Description:

BALL BEARING , SPHERICAL OUT , WITH LOCK ,

CYLINDRICAL BORE

GE 50 KRRB

MATERIAL : BEARING STEEL

BORE DIA - 50 MM

OUT SIDE DIA - 90 MM

INSIDE RING TOTAL WIDTH: 62.700 MM

OUTER RING WIDTH : 22 MM

MAKE: TO SUIT SPECIFICATION

14

BEARING GE 50 KRRB

Ea 5

Description:

DEEP GROVE BALL BEARING,

MATERIAL STEEL

SIZE 6201 - 1/2 2RS

RUBBER SEALS FITTED

ID : 0.5 INCHES

OD : 32 MM

WIDTH 10 MM

MAKE: TO SUIT SPECIFICATION

15

BEARING - 6201 1/2 2 R S

Ea 20

Description:

DEEP GROVE BALL BEARING,

MATERIAL STEEL

SIZE R 6 ZZ

METAL SHEILDED TYPE

ID : 9.525 MM

OD : 22.225 MM

WIDTH 7.142 MM

16

MAKE: TO SUIT SPECIFICATION

BEARING 608 ZZ

Ea 6

Description:

BALL BEARING 608ZZ

MATERIAL BEARING STEEL

METAL SHIELDED TYPE

BORE DIA : 8 MM

OUTSIDE DIA: 22 MM

WIDTH : 7 MM