

# Bearing 3313 B TVH C3

		RADIAL BALL BEARINGS, SINGLE ROW, RIGID, EXTRA LIGHT TYPE, WITH TWO SIDE PLATE CLEARANCE GREATER THAN NORMAL ( C3)	
		SERIES 6000-2Z-C3 OR APPRD. EQUIVALENT	
NO	14	BORE 12MM, OD. 28MM,WIDTH 8MM / SNR - NSK	6001 2
		RADIAL BALL BEARINGS, SINGLE ROW, RIGID, LIGHT TYPE, DEEP GROOVE CLEARANCE GREATER THAN NORMAL ( C3)	
		SERIES 6200 C3 OR APPRD. EQUIVALENT	
NO	17	BORE 65MM, OD 129MM, WIDTH 23MM / SNR-NSK	6213
		RADIAL BALL BEARINGS, SINGLE ROW, RIGID LIGHT TYPE, DEEP GROOVE ,WITHOUT FILLING SLOT, WITH ONE SIDE PLATE, CLEARANCE GREATER THAN NORMAL (C3)	
		SERIES 6200 Z OR APPR. EQUIVALENT	
NO	7	BORE 17MM, OD 40MM, WIDTH 12MM / SNR-NSK	6203
NO	27	BORE 65MM, OD 120MM, WIDTH 23MM / SNR-NSK	6213-2
		RADIAL BALL BEARINGS, SINGLE ROW, RIGID LIGHT TYPE, DEEP GROOVE ,WITHOUT FILLING SLOT, WITH TWO SIDE PLATES, CLEARANCE GREATER THAN NORMAL (C3)	
		SERIES 6200 2Z OR APPR. EQUIVALENT	
NO	24	BORE 12MM, OD 32MM, WIDTH 10MM / SNR-NSK	6201-
NO	10	BORE 45MM, OD 85MM, WIDTH 19MM	6209 2
NO	4	BORE 80MM, OD 140MM, WIDTH 26MM	6216-
		RADIAL BALL BEARINGS, SINGLE ROW, RIGID MEDIUM TYPE, DEEP GROOVE , BALL BEARING CLEARANCE GREATER THAN NORMAL (C3)	
		SERIES 6300 C3 OR APPR. EQUIVALENT	
NO	32	BORE 30MM, OD 72MM, WIDTH 19MM / SNR-NSK	6306
NO	3	BORE 100MM, OD 215MM, WIDTH 47MM	6320
		RADIAL BALL BEARINGS, SINGLE ROW, RIGID MEDIUM TYPE, DEEP GROOVE ,WITHOUT FILLING SLOT( CONRAD TYPE) , WITH ONE SIDE PLATE, CLEARANCE GREATER THAN NORMAL (C3)	
		SERIES 6300 2Z OR APPR. EQUIVALENT	
NO	70	BORE 50MM, OD 110MM, WIDTH 27 MM	6310
		RADIAL BALL BEARINGS, SINGLE ROW, RIGID MEDIUM TYPE, DEEP GROOVE ,WITHOUT FILLING SLOT( CONRAD TYPE) ,DOUBLE SHIELD OR SIDE PLATE , CLEARANCE GREATER THAN NORMAL (C3)	
		SERIES 6300 2Z OR APPR. EQUIVALENT	
NO	105	BORE 40MM, OD 90MM, WIDTH 23MM / SNR-NSK	6308 2

NO	25	BORE 60MM, OD 130MM, WIDTH 31MM/ SNR-NSK BALL BEARINGS, ANGULAR CONTACT, DOUBLE ROW, WITH FTLLING SLOT, MEDIUM TYPE, CLEARANCE GREATER THAN NORMAL (C3) BOUNDARY DIMENSIONS TO ISO R 15 PART 1 SERIES 3300 OR APPROVD. EQUIVALENT /FAG-SNR-NSK	6312
NO	3	BORE 65MM, OD 140MM, WIDTH 58.7MM RADIAL PARALLEL ROLLER BEARINGS, SINGLE ROW , RIGID , LIGHT TYPE, NO LIPS ON INNER RACE TWO LIPS ON OUTER RACE, CLEARANCE GREATER THAN NORMAL (C3) , METRIC SIZES BOUNDARY DIMENSIONS TO ISO R 15 PART 1 SERIES NU 200 OR APPROVD. EQUIVALENT	3313 B
NO	2	BORE 80MM, OD 140MM, WIDTH 26MM / FAG-SNR-NSK RADIAL BALL BEARINGS, SINGLE ROW , RIGID , EXTRA SMALL TYPE, WITH TWO RUBBER SEALS, METRIC SIZE SERIES 600 2RS1 OE APPROVED EQUIVALENT	NU 210
NO	30	BORE 8MM, OD 22MM, WIDTH 7MM / FAG-NS;-SNR RADIAL BALL BEARINGS, SINGLE ROW, RIGID, LIGHT TYPE, DEEP GROOVE, WITHOUT FILLING SLOT ( CONRAD TYPE) WITH ONE SIDE PLATE, BOUNDARY DIMENSIONS TO ISO R 15 PART 1 SERIES 6200 OR APPROVED EQUIVALENT / FAG-SNR-NSK	608-2
NO	20	BORE 15MM, OD 35MM, WIDTH 11MM RADIAL BALL BEARINGS, SINGLE ROW, RIGID, MEDIUM TYPE, DEEP GROOVE, WITHOUT FILLING SLOT ( CONRAD TYPE) , BOUNDARY DIMENSIONS TO ISO R 15 PART 1 SERIES 6300 OR APPROVED EQUIVALENT / SNR-NSK	620
NO	50	BORE 40MM, OD 90MM, WIDTH 23MM / SNR-NSK	63
NO	9	BORE 55MM, OD 120MM, WIDTH 29MM RADIAL BALL BEARINGS, SINGLE ROW, RIGID, MEDIUM TYPE, DEEP GROOVE, WITHOUT FILLING SLOT ( CONRAD TYPE) , DOUBLE SHIELD OR SIDE PLATE BOUNDARY DIMENSIONS TO ISO R 15 PART 1 SERIES 6300 OR APPROVED EQUIVALENT / FAG-SNR-NSK	63
NO	28	BORE 15MM, OD 42MM, WIDTH 13MM	6302
NO	27	BORE 25MM, OD 62MM, WIDTH 17MM	6305
NO	40	BORE 30MM, OD 72MM, WIDTH 19MM	6306
NO	14	BORE 35MM, OD 80MM, WIDTH 21MM	6307
NO	11	BORE 50MM, OD 110MM, WIDTH 27MM BALL BEARING DOUBLE ROW, ANGULAR CONTACT	6310

		MEDIUM TYPE WITHOUT FILLING SLOT WITH TWO BLACK NITRILE RUBBER SEAL SERIES 5300-2RS OR APP. EQUIVALENT / FAG-SNR- NSK	
NO	20	BORE 40MM, OD 90MM, WIDTH 36.5MM RADIAL PARALLEL ROLLER BEARINGS, SINGLE ROW RIGD, MEDIUM TYPE ,NO LIPS ON INNER RACE, TWO LIPS ON OUTER RACE, BOUNDARY DIMENSIONS TO ISO R 15 PART 1	5308
NO	3	SERIES NU 300 OR APP. EQUIVALENT BORE 40MM, OD 90MM, WIDTH 23MM	NU
NO	16	BORE 80MM, OD 170MM, WIDTH 39MM SKF PLUMMER BLOCKS, SERIES SNA FOR BRG. W/CYL. BORE SHAFT DIA. 25/140 BOUSHING DIA. ARE IN ACC. WITH ISO / R113, BOUSHING ONLY	NU 31
NO	12	BEARING UNIT ASSY	SY2
NO	8	BEARING UNIT ASSY	SY3
NO	3	LOCK WASHERS FOR BEARINGS, METRIC SIZES SKF OR EQUIVALENT	ME
NO	9	WASHER NO 6 , SHAFT DIA 30 WASHER NO 13 SHAFT DIA 65	MB